

ØVERÅASEN UTV 175

Kobolt Printshop as, Gjøvik | tlf: 954 55 000

Norwegian Snow How



ØVERÅASEN
SNOWREMOVAL SYSTEMS



ØVERÅASEN
SNOWREMOVAL SYSTEMS

UTV 175 Performance Line is a powerful snow blower perfectly suited used in combination with 10-14 tons front end loaders. UTV 175 Performance Line is a flexible unit snow blower designed for regular snow clearing, loading and opening of mountain passes.

Based on the dual stage system, which consist of the slowly rotating horizontal auger and the fast turning impeller, the snow blower is capable of clearing all types of snow, even wet, hard packed or icy snow.

This snow blower is delivered with a chute with double flap. The biggest advantages are a compact and powerful design, large clearing capacity, economical in use and the flexibility between the snow blower and the wheel loader.



Standard unit

- Diesel engine : Volvo Penta TAD581 VE
- Emission standard : EU Stage V
- Power output : 129 kW
- Capacity, max : 1 200 tons/h
- Casting distance : 20-25 m
- Clearing width : 2 700 mm (others on request)
- Clearing height : 1 380 mm
- Auger diameter : 900 mm
- Impeller diameter : 850 mm
- Weight : 4 050 kg

INCLUDED IN STANDARD DELIVERY:

- Chute with double flap
- Hydraulic slewing ring 220°
- Turnable impeller housing 45° left, 60° right
- Control panel in cabin
- 2 pcs. LED working lights
- Volvo coupler
- Hydraulic side tilt, +/- 5°
- Sidewalk guide
- Adjustable front skis



OVERÅSEN
UTV 175

... the snow professionals



Liftable engine cover



Tiltable blower head



Dual working lights



Turnable impeller housing in combination with 220° slewing ring



Standard chute with double flap



Side walk guide

- Clearing width 2 400 mm (UTV 140)
- Alternative engines on request
- Chute with triple flap
- Loading chute with hydr. adjustable flap
- Chute extension, 250 - 500 - 750 mm
- 2 pcs. LED working lights on loading chute
- Engine heater installed, 220 V
- Battery charger, 220 V
- Hydraulic oil tank heater, 220 V
- NATO socket, 24 V
- NATO jumper cable with connectors
- Double working lights, LED type (pair)
- LED warning lights R+L in front
- Heated, LED working lights
- Suitcase with brackets and tools



Automatic cut-out clutches



WORLDWIDE IN CONTACT. WORLDWIDE AT YOUR SIDE.

More than 110 years of experience and expertise in snow clearance technology: That is the rock-solid basis that allows us to give you active support. Whether you need detailed advice on the correct use of our equipment, or if you have specific questions about snow handling, you can always trust the snow professionals!

You can find further information at www.overaasen.no

ØVERAASEN AS

Roald Amundsens veg 1 | NO-2816 Gjøvik | Norway
Phone +47 61 14 60 00 | E-mail: info@overaasen.no

ØVERAASEN Deutschland GmbH

Gewerbestr. 26 | 79865 Grafenhausen | Germany
Phone +49 7748 92 99 798 | E-mail: info@overaasen.de

ØVERAASEN Sverige AB

Box 2160 | 600 02 Norrköping | Sweden
Phone +46 11 16 64 16 | Mob. +46 725 88 06 05
E-mail: christopher.sundell@overaasen.se

KINDLY ALSO FOLLOW US ON FACEBOOK

Technical changes and data:

The right to make changes pursuant to technical developments is reserved. The technical data in the current brochure is presented only for the purpose of product description and is not to be understood as representing legally binding characteristics. All illustrations are provided by way of example only.